

Summer at LSU 2016
REU Student: John Bell
PI: Dr. Hartmut Kaiser

IMPLEMENTING FASTER ASSOCIATIVE CONTAINERS FOR GIDS IN HPX

Introduction

- ⦿ HPX - A general purpose C++ runtime system for parallel and distributed applications of any scale and can run on multiple localities.
- ⦿ GIDs – Global Identification addresses, currently HPX has a container for mapping.
- ⦿ AGAS - Active Global Address Space, key concept introduced by HPX supporting and enabling the uniform syntax for local and remote operations
- ⦿ Associative containers hold data by pairs in a key, value relationship.

Project

- Topic: Work with various associative containers and either determine or refine one or several to optimally work with HPX.
- Goal: To select the best performing data structure for AGAS used to lookup information about global identifiers (GIDs).
- Task: Testing search trees along with benchmarking.

Tasks and Timing

- ⦿ Identified several data structures.
Concentrating on the main operations performed on databases.
- ⦿ Criteria:
 - Able to handle large amounts of insertions, searches and deletions.
 - Preferable to be Standard Template Library (STL) compatible.

Benchmarking

◎ Key Features:

- Uniform data sets (1million – 10 million elements).
- Measured time how long for each of three tasks.
 - Insertions
 - Searches
 - Deletions

Search Trees

2-3	B ^x	Map
2-3-4	(Optimal) Binary Search	Unordered Map
AA	Dancing	123 Top-Down List
(a,b)	H Tree	S-Tree
AVL	Interval	Splay
B+	Order Statistic	T
B	(Left-leaning) Red Black	Treap
B*	Scapegoat	UB

Revised Search Trees

- ⦿ 2-3
- ⦿ AVL
- ⦿ B
- ⦿ Binary Search Tree
- ⦿ Map
- ⦿ Unordered Map

Next Steps

- ① Revisit the list and maybe implement more search trees
- ① Use the benchmark program to evaluate other programs
- ① Create new data sets for better evaluation

Thank you!

- ⦿ Dr. Hartmut Kaiser
- ⦿ Stellar Group
- ⦿ CCT

Questions?